

WORKSHOP EQUIPMENT MOBILE TOOL CABINET

STURDY, LIGHTWEIGHT, MOBILE DRAWER CABINET WHICH IS ESPECIALLY SUITABLE FOR TOOLS.



NEW

Model	Drawers	Dimensions H x W x D (mm)	Net Wt.
81.000.XXX	7 Drawers Heights: 4 x 75 mm, 2 x 100 mm, 1 x 200 mm	956 x 725 x 500	53 kg
81.001.XXX	8 Drawers Heights: 4 x 75 mm, 4 x 100 mm	956 x 725 x 500	57 kg
81.002.XXX	9 Drawers Heights: 8 x 75 mm, 1 x 100 mm	956 x 725 x 500	60 kg

WHERE TO PUT TOOLS AND MATERIALS SO THAT YOU CAN REACH THEM EASILY AT ANY TIME? THE LISTA CADDY 20 ALLOWS THEM TO BE STORED SAFELY AND MOVED QUICKLY TO YOUR WORKPLACE.


With its manageable dimensions, the Lista Caddy 20 fits into any workshop. It is available in three drawer configurations, providing ample space for even larger hand tools and power tools. Practical accessories can also be hung easily from the side panels, enabling the Lista Caddy 20 to carry everything where it is ready to use. Its impact-proof powder coating is available in a choice of 10 standard colours.



Full extension slides / running smoothness
The smooth-running slides enable fully opening drawers ensuring access to the parts in the furthest corners. The drawers have a load capacity of 20 kg.



Central locking
Like all Lista drawer cabinets, the Lista Caddy 20 is also fitted with a central locking system as standard so that all drawers can be secured simultaneously.



Plastic profile cover
The Lista Caddy 20 profile cover plate is made of plastic and fitted with convenient oddments compartments. The handle bars integrated on each side ensure ease of mobility.



Safety through flexible edge protection
The rounded corners are made from two-ply abrasion-proof plastic, acting as buffers that minimise any damage from impact with other objects.



Safety locking system
Another valuable detail which you can count on with Lista Caddy 20 is individual drawer blocking. As soon as one drawer is opened, all others are locked. This prevents the cabinet from tipping forward.



Accessories
The Lista Caddy 20 can be fitted with a spray can holder, a waste container, an additional rack or a paper roll holder. The accessory is simply attached to the side panel and can be replaced at any time.



Full extension slides / running smoothness
The smooth-running slides enable fully opening drawers ensuring access to the parts in the furthest corners. The drawers have a load capacity of 20 kg.



Central locking
Like all Lista drawer cabinets, the Lista Caddy 20 is also fitted with a central locking system as standard so that all drawers can be secured simultaneously.



Easy assembly
Accessories can be attached to both sides of the rows of slots.

Pegboard with door
The lockable door guarantees security for your tools. The pegboard can only be combined with the tool holders.

THE 10 STANDARD COLOURS

The three-digit colour code is a component of the article number. Always complete the article number of your order with the desired colour code (e.g. 81.000.020 for RAL 7035).



010.
Light blue
RAL 5012



020.
Light grey
RAL 7035



030.
Reseda green
RAL 6011



040.
Capri blue
RAL 5019



050.
Grey metallic
NCS S 6502-B



060.
Black
NCS S 9000-N



070.
Ruby red
RAL 3003



080.
Pigeon grey
NCS S 4502-B



090.
Gentian blue
RAL 5010



100.
Signal blue
RAL 5005

WORKSHOP EQUIPMENT DRAWER CABINETS

DRAWER CABINETS 75 KG : WIDTH 564 MM, DEPTH 572 MM (27 X 27E)



Height 850 mm



5 drawers (full extension)
Heights: 100 mm, 3 x 150 mm, 200 mm

Model	Colour
14.256.0100	Light Blue (RAL 5012)
14.256.0200	Light Grey (RAL 7035)

Height 850 mm



5 drawers (full extension)
Heights: 2 x 100 mm, 150 mm, 2 x 200 mm

Model	Colour
14.254.0100	Light Blue (RAL 5012)
14.254.0200	Light Grey (RAL 7035)

Height 850 mm



6 drawers (full extension)
Heights: 50 mm, 2 x 100 mm, 2 x 150 mm, 200 mm

Model	Colour
14.262.0100	Light Blue (RAL 5012)
14.262.0200	Light Grey (RAL 7035)

Height 850 mm



6 drawers (full extension)
Heights: 2 x 75 mm, 2 x 100 mm, 2 x 200 mm

Model	Colour
14.258.0100	Light Blue (RAL 5012)
14.258.0200	Light Grey (RAL 7035)

Height 850 mm



7 drawers (full extension)
Heights: 2 x 75 mm, 3 x 100 mm, 2 x 150 mm

Model	Colour
14.252.0100	Light Blue (RAL 5012)
14.252.0200	Light Grey (RAL 7035)

Height 850 mm



8 drawers (full extension)
Heights: 50 mm, 2 x 75 mm, 4 x 100 mm, 150 mm

Model	Colour
14.250.0100	Light Blue (RAL 5012)
14.250.0200	Light Grey (RAL 7035)



All drawers with full extension
Differential extensions guided without crossbars not only ensure perfect quiet running even under a high load of stored parts but also enable full extension.



Drawer front
The drawer handles are fitted with end caps and are flush with the cabinet housing. This looks good – and helps avoid the risk of injury.



Impact-resistant coating
Lista Selection 75 is available in the two colours light blue (RAL 5012) and light grey (RAL 7035). Eco-friendly powder coating makes for an impact- and wear-resistant surface.



Central locking system
All drawer cabinets are fitted with a patented central locking system that secures all drawers simultaneously.



Unique: Lista Script
All drawers can be labelled cleanly and systematically using the innovative handle fitted with a transparent viewing window. The drawer partition materials also provide good labelling options.



Lista 75 provides mobile cabinets
Our mobile drawer cabinets are fitted with retainer tops with raised edges on four sides, a black ribbed mat, a trolley handle and two pairs of castor supports with two fixed and two steering castors (nylon).



Safety locking system
A single drawer safety locking device is fitted as standard ensuring that once one drawer is pulled out, all other drawers are blocked. This eliminates the possibility of the cabinet tipping forward.



Central locking
Like all Lista drawer cabinets, the Lista Caddy 20 is also fitted with a central locking system as standard so that all drawers can be secured simultaneously.

DRAWER CABINETS 200 KG : WIDTH 717 MM, DEPTH 725 MM (36 X 36E)

Height 850 mm



5 drawers (full extension)
Heights: 50 mm, 2 x 100 mm, 200 mm, 300 mm

Model	Colour
14.505.0100	Light Blue (RAL 5012)
14.505.0200	Light Grey (RAL 7035)

Height 850 mm



7 drawers (full extension)
Heights: 2 x 75 mm, 3 x 100 mm, 2 x 150 mm

Model	Colour
14.503.0100	Light Blue (RAL 5012)
14.503.0200	Light Grey (RAL 7035)

Height 850 mm



8 drawers (full extension)
Heights: 50 mm, 2 x 75 mm, 4 x 100 mm, 150 mm

Model	Colour
14.502.0100	Light Blue (RAL 5012)
14.502.0200	Light Grey (RAL 7035)

Height 1000 mm



6 drawers (full extension)
Heights: 50 mm, 3 x 150 mm, 2 x 200 mm

Model	Colour
14.510.0100	Light Blue (RAL 5012)
14.510.0200	Light Grey (RAL 7035)

Height 1000 mm



6 drawers (full extension)
Heights: 100 mm, 4 x 150 mm, 200 mm

Model	Colour
14.509.0100	Light Blue (RAL 5012)
14.509.0200	Light Grey (RAL 7035)

Height 1000 mm



8 drawers (full extension)
Heights: 2 x 75 mm, 3 x 100 mm, 3 x 150 mm

Model	Colour
14.506.0100	Light Blue (RAL 5012)
14.506.0200	Light Grey (RAL 7035)

Height 1450 mm



9 drawers (full extension)
Heights: 2 x 75 mm, 2 x 100 mm, 2 x 150 mm, 2 x 200 mm, 300 mm

Model	Colour
14.511.0100	Light Blue (RAL 5012)
14.511.0200	Light Grey (RAL 7035)

Height 1450 mm



9 drawers (full extension)
Heights: 3 x 100 mm, 5 x 150 mm, 300 mm

Model	Colour
13.106.0100	Light Blue (RAL 5012)
13.106.0200	Light Grey (RAL 7035)

Height 1450 mm




10 drawers (full extension)
Heights: 50 mm, 5 x 100 mm, 4 x 200 mm

Model	Colour
14.512.0100	Light Blue (RAL 5012)
14.512.0200	Light Grey (RAL 7035)


PREMIUM UNIVERSAL CABINET



Universal cabinet with hinged doors
(Hinged door total height or part height)
2 base areas
717 × 600 mm (36 × 27E)
717 × 753 mm (36 × 36E)
2 heights
1000 mm, 1450 mm



Universal cabinet with sliding doors
2 base areas
1430 × 627 mm (twice 36 × 27E)
1430 × 780 mm (twice 36 × 36E)
1 height
1000 mm



Universal cabinet with roller shutters
1 base area
1038 × 691 mm (54 × 27E)
2 heights
1450 mm, 1950 mm



Lista Premium universal cabinets with hinged doors, sliding doors or roller shutters allow you to store large volumes of materials in a small space. As they can be equipped with any combination of drawers, pull-out shelves and adjustable shelves, they can be configured perfectly to suit their purpose.

PREMIUM DRAWER STORAGE WALLS



Side frame

The extremely stable side frame afford the drawer storage walls a high load-bearing capacity. The framework can be lined with side panels at the end of a row of shelving.



Drawers with full extension

The differential extension, guided without a crossbeam, ensures that the drawers and shelves slide in and out with perfect silence, even when the materials in or on them are very heavy. The drawers are available with different load capacities (200 kg or 75 kg).



Heavy-duty pull-out drawers

Heavy-duty pull-out drawers also run extremely quietly, even with a heavy load inside. Load capacity up to 350 kg.



Adjustable and universal shelves

The adjustable shelves (load capacity 200 kg) are attached to the side frames by means of shelf supports whereas the universal shelves (load capacity 250 kg) are bolted to the side frames. The shelves are available plain or slotted for the purposes of partitioning with dividers.



Pull-out shelves with full extension

For the storage of heavy components and devices. The goods can be stored flush with the handle by inserting sheet steel strips. Maximum load capacity, 200 kg.



Special installations for mobile equipment

Mobile workshops have to be able to withstand stressful conditions. To protect both the equipment and the goods transported in it from damage, Lista uses various safeguards and safety mechanisms, such as folding fronts (figure), pull-out shelves with eyes or safety rods.



Shelf side panels

They block off the sides of adjustable and universal shelves.



Lockability

Lista drawer storage walls can be equipped with lockable roller shutters and hinged doors.

SELECTION 20/35 : THE COMPLETE PRODUCT LINE



NEW

Call us for full prices
and details
800-LOC8 (5628)

COMPREHENSIVE PRODUCT LINE

Drawer cabinets, workbenches, hinged door and roller shutter cabinets, everything you need in one range: that's Lista Selection 20/35. Workbenches are available with top heights of 900 mm or 850 mm. Drawer cabinets as well as hinged door and roller shutter door cabinets can be adapted to both heights. The appearance of the workbench tops and covers, too, can be uniformly and aesthetically combined. This ensures a clean continuity throughout the entire product line.

Perfect surface

The two colours light blue (RAL 5012) and light grey (RAL 7035) are available as standard colours for the cabinet and the legs. Ecofriendly powder coating makes for an impactand wear-resistant surface. The drawers are dip-painted. This ensures complete corrosion protection.



We offer a variety of options not only in the choice of colour, but also in the choice of covers and workbench tops. The options are wood (multiplex, beech) or laminate (black), for the mobile drawer cabinets; black plastic profile tops are also available. The free combination of colours and covers a compelling aesthetic experience.




The clear design and versatile drawer partition material allow arrangements which are perfectly suitable for the parts to be stored.



WORKSHOP EQUIPMENT WORKBENCHES

WORKBENCHES : LENGTH 1500 / 2000 MM, DEPTH 750 / 800 MM, HEIGHT 840 / 850 MM

Measurements (all values in millimetres)



Multiplex Top

All workbenches of 750 mm depth are delivered with a multiplex top, 40 mm thickness (length options 1500 mm or 2000 mm). Product specification: steam-treated beech veneer, waterproof glued multi-layer, edges bevelled, surface planed and oiled. The top is resistant to spray water, dirt and largely resistant to oil and grease.



Beech Top

All workbenches of 800 mm depth are delivered with a beech top, 50 mm thickness (length options 1500 mm or 2000 mm). Product specification: steam-treated beech strips, waterproof glued, edges bevelled, surface planed and oiled. The top is resistant to spray water, dirt and largely resistant to oil and grease.

Note: Wood is a natural material. Therefore, colour variations are possible. Temperature fluctuations or a change in humidity may in some cases cause the workbench top to bow slightly.



2 legs, top, suspended drawer cabinet
W564 x D725 x H383 mm (27 x 36E)



Suspended drawer cabinet (Selection 75): 3 drawers (full extension) Heights: 50 mm, 100 mm, 150 mm

Model	Length (mm)	Depth (mm)	Height (mm)	Top Type	Colour
59.005.0100	1500	750	840	Multiplex	Light blue (RAL 5012)
59.005.0200	1500	750	840	Multiplex	Light grey (RAL 7035)
59.007.0100	2000	750	840	Multiplex	Light blue (RAL 5012)
59.007.0200	2000	750	840	Multiplex	Light grey (RAL 7035)
59.213.0100	1500	800	850	Beech	Light blue (RAL 5012)
59.213.0200	1500	800	850	Beech	Light grey (RAL 7035)
59.215.0100	2000	800	850	Beech	Light blue (RAL 5012)
59.215.0200	2000	800	850	Beech	Light grey (RAL 7035)

Model	Length (mm)	Depth (mm)	Height (mm)	Top Type	Colour
40.970.0100	1500	750	840	Multiplex	Light blue (RAL 5012)
40.970.0200	1500	750	840	Multiplex	Light grey (RAL 7035)
40.972.0100	2000	750	840	Multiplex	Light blue (RAL 5012)
40.972.0200	2000	750	840	Multiplex	Light grey (RAL 7035)
39.719.0100	1500	800	850	Beech	Light blue (RAL 5012)
39.719.0200	1500	800	850	Beech	Light grey (RAL 7035)
39.721.0100	2000	800	850	Beech	Light blue (RAL 5012)
39.721.0200	2000	800	850	Beech	Light grey (RAL 7035)

1 leg, top, drawer cabinet
W564 x D725 x H800 mm (27 x 36E)



Drawer cabinet (Selection 75): 5 drawers (full extension) Heights: 50 mm, 2 x 100 mm, 150 mm, 300 mm

Perfect surface

The two colours light blue (RAL 5012) and light grey (RAL 7035) are available as standard colours for the cabinet and the legs. Ecofriendly powder coating makes for an impact and wear-resistant surface. The drawers are dip-painted. This ensures complete corrosion protection.

2 legs, top



Model	Length (mm)	Depth (mm)	Height (mm)	Top Type	Colour
40.961.0100	1500	750	840	Multiplex	Light blue (RAL 5012)
40.961.0200	1500	750	840	Multiplex	Light grey (RAL 7035)
40.963.0100	2000	750	840	Multiplex	Light blue (RAL 5012)
40.963.0200	2000	750	840	Multiplex	Light grey (RAL 7035)
88.141.0100	1500	800	850	Beech	Light blue (RAL 5012)
88.141.0200	1500	800	850	Beech	Light grey (RAL 7035)
88.143.0100	2000	800	850	Beech	Light blue (RAL 5012)
88.143.0200	2000	800	850	Beech	Light grey (RAL 7035)

2 legs, top, workbench drawer

Model	Length (mm)	Depth (mm)	Height (mm)	Top Type	Colour
40.934.0100	1500	750	840	Multiplex	Light blue (RAL 5012)
40.934.0200	1500	750	840	Multiplex	Light grey (RAL 7035)
40.936.0100	2000	750	840	Multiplex	Light blue (RAL 5012)
40.936.0200	2000	750	840	Multiplex	Light grey (RAL 7035)
59.189.0100	1500	800	850	Beech	Light blue (RAL 5012)
59.189.0200	1500	800	850	Beech	Light grey (RAL 7035)
59.191.0100	2000	800	850	Beech	Light blue (RAL 5012)
59.191.0200	2000	800	850	Beech	Light grey (RAL 7035)



Workbench drawer: 1 drawer (full extension)
Height: 150 mm

**2 legs, top, suspended drawer cabinet
W564 x D725 x H533 mm (27 x 36E)**




Suspended drawer cabinet (Selection 75): 4 drawers
Heights: 50 mm, 2 x 100 mm, 1 x 200 mm

Model	Length (mm)	Depth (mm)	Height (mm)	Top Type	Colour
59.019.0100	1500	750	840	Multiplex	Light blue (RAL 5012)
59.019.0200	1500	750	840	Multiplex	Light grey (RAL 7035)
59.040.0100	2000	750	840	Multiplex	Light blue (RAL 5012)
59.040.0200	2000	750	840	Multiplex	Light grey (RAL 7035)
59.008.0100	1500	800	850	Beech	Light blue (RAL 5012)
59.008.0200	1500	800	850	Beech	Light grey (RAL 7035)
59.013.0100	2000	800	850	Beech	Light blue (RAL 5012)
59.013.0200	2000	800	850	Beech	Light grey (RAL 7035)

**1 leg, top, drawer cabinet
W564 x D725 x H800 mm (27 x 36E)**

Model	Length (mm)	Depth (mm)	Height (mm)	Top Type	Colour
59.039.0100	1500	750	840	Multiplex	Light blue (RAL 5012)
59.039.0200	1500	750	840	Multiplex	Light grey (RAL 7035)
59.041.0100	2000	750	840	Multiplex	Light blue (RAL 5012)
59.041.0200	2000	750	840	Multiplex	Light grey (RAL 7035)
59.009.0100	1500	800	850	Beech	Light blue (RAL 5012)
59.009.0200	1500	800	850	Beech	Light grey (RAL 7035)
59.014.0100	2000	800	850	Beech	Light blue (RAL 5012)
59.014.0200	2000	800	850	Beech	Light grey (RAL 7035)



Drawer cabinet (Selection 75): 4 drawers (full extension)
Heights: 2 x 100 mm, 200 mm, 300 mm


**Top, 2 drawer cabinets
W564 x D725 x H800 mm (27 x 36E)**



Model	Length (mm)	Depth (mm)	Height (mm)	Top Type	Colour
59.051.0100	2000	750	840	Multiplex	Light blue (RAL 5012)
59.051.0200	2000	750	840	Multiplex	Light grey (RAL 7035)
59.018.0100	2000	800	850	Beech	Light blue (RAL 5012)
59.018.0200	2000	800	850	Beech	Light grey (RAL 7035)

Left drawer cabinet (Selection 75):
5 drawers (full extension)
Heights: 50 mm, 2 x 100 mm, 150 mm, 300 mm

Right drawer cabinet (Selection 75):
4 drawers (full extension)
Heights: 2 x 100 mm, 200 mm, 300 mm



A flexible system meets your needs in regard to quality, efficiency and load: the modular workbench system

Save space, make room, utilise every square centimetre and set up surroundings under and over the work surface which are oriented towards the entire work process. The planning of your workstations is determined very strictly by the needs you define. The selection available on the way to an optimum workstation is extremely broad. It's worth viewing your own needs from the perspective of our specialists. We will be happy to assist you in your order with advice and help.


Whether considering the rear panel, working height or labelling: Lista Premium guarantees you an ergonomic workplace designed according to the most up-to-date information.

PREMIUM WORKBENCHES (TAILOR-MADE FOR YOUR WORK)



Workbench leg assemblies

Uniform structural load-bearing capacity is 400 kg. The strong sheet steel construction of our workbenches can take a lot. It was developed by Lista for the attaching of workbench tops, storage shelves and floor anchors. If requested we offer a height-adjustable variation.



Support pillars

Bearing function: Lista support pillars are mounted directly on the table top or stabilisation profile using the included fastening materials (only for bench depth 800 mm). The support pillars made of steel profiles are designed for the holding of components..




Shelves with raised edging

More area: The MDF board with three-sided, 8 mm protruding beech raised edging has a colourless priming all round. With the matching bracket made of rectangular steel tubing, your work surface can be additionally vertically adjusted to four levels.




Drawer cabinets

Everything ready to hand: Proven Lista drawer cabinets are an ideal addition to your workbench.



Plain shelves and dividers

We offer smooth shelves and also slotted plain shelves for partitioning with dividers. You can also order slip-resistant ribbed mats.



Container strip mountings and storage bins

These strip mountings can be hooked in simply and are suitable for polyethylene storage bins of the sizes 2, 3 and 4.



Rear panels

Create more space quickly: Lista rear panels can be hung on the support pillars without screws. Rear panels are perforated to hold tool holders and hooks.



Diverse tops

Multiplex, beech, urphen or hard laminate tops are available. You'll find a suitable top surface with us for every purpose, each with its own special characteristics and advantages.



Storage shelves


The multiplex top for your storage shelf is pre-drilled and includes fastening materials.

THE WORKBENCH TOPS



Multiplex top

This workbench top, made of steamed beech veneers, is suitable for general purpose work. It is glued in multiple layers and waterproof. The edges are bevelled, the surfaces are sanded and oiled.



Urphen top

If you need an assembly or inspection station in your workshop, then the workbench top made of pressure-resistant, durable urphen with scratchproof UV coating is the right one for you.



Beech top

This workbench top, made of steamed beech beams is suitable not only just for heavy-duty work in steel and machine construction, but also as a work surface in metalworking shops, automobile workshops or in schools.



Hard laminate top

In the laboratory, electronics area, for the office and desks you can depend on our hard laminate top. It is resistant to most chemicals. Its structured surface is easy to clean. The upper surface with hard laminate is 0.7 mm thick.

WORKSHOP EQUIPMENT MEDIUM DUTY BENCHES

BENCHES MEDIUM DUTY

Designed to meet the requirements of the assembly and workshop environments.

- Available in a range of seven bench sizes with the choice of 3 styles of work tops and matching optional lower shelves (see page 83 for details).
- The fully welded bench frames, with the legs produced from 60 x 30 x 1.6 mm RHS, are finished in stove enamel grey.
- Benches are produced with a worktop height of 840 mm and fitted with adjustable feet to ensure a level work surface.
- The lockable drawers and cupboard fronts are available in four stove enamel finish colours.


Red ● Blue ● Green ● Grey ●
Please specify when ordering.

Optional Accessories

- For additional 1, 2, 3 or 4 lockable drawer units and cupboards, plus other factory fitted accessories, please see optional extras.

Medium Duty Work Top Options

- 28 mm thick Vinyl faced blockboard with hardwood edging.
- 25 mm thick laminated blockboard with hardwood edging.
- 28 mm thick plastic laminated blockboard faced with Waverite or similar grey surface with formed edges.



AB157W shown with a range of optional extras.

Medium duty bench only



AB157W

Medium duty bench complete with single lockable drawer



AB257W

Please specify drawer position - Left or Right.

Top Options		28 mm Vinyl		25 mm Blockboard		28 mm Waverite	
Length	Width	Model	Price	Model	Price	Model	Price
1200 mm	750 mm	AB127L	POA	AB127P	POA	AB127W	POA
	900 mm	AB129L	POA	AB129P	POA	AB129W	POA
1500 mm	750 mm	AB157L	POA	AB157P	POA	AB157W	POA
	900 mm	AB159L	POA	AB159P	POA	AB159W	POA
1800 mm	610 mm	AB186L	POA	AB186P	POA	AB186W	POA
	750 mm	AB187L	POA	AB187P	POA	AB187W	POA
	900 mm	AB189L	POA	AB189P	POA	AB189W	POA

Top Options		28 mm Vinyl		25 mm Blockboard		28 mm Waverite	
Length	Width	Model	Price	Model	Price	Model	Price
1200 mm	750 mm	AB227L	POA	AB227P	POA	AB227W	POA
	900 mm	AB229L	POA	AB229P	POA	AB229W	POA
1500 mm	750 mm	AB257L	POA	AB257P	POA	AB257W	POA
	900 mm	AB259L	POA	AB259P	POA	AB259W	POA
1800 mm	610 mm	AB286L	POA	AB286P	POA	AB286W	POA
	750 mm	AB287L	POA	AB287P	POA	AB287W	POA
	900 mm	AB289L	POA	AB289P	POA	AB289W	POA

Medium duty bench complete with lockable cupboard



AB357W

Please specify cupboard position - Left or Right.

Medium duty bench complete with single lockable drawer & cupboard



AB457W

Please specify drawer/cupboard position - Left or Right.


Top Options		28 mm Vinyl		25 mm Blockboard		28 mm Waverite	
Length	Width	Model	Price	Model	Price	Model	Price
1200 mm	750 mm	AB327L	POA	AB327P	POA	AB327W	POA
	900 mm	AB329L	POA	AB329P	POA	AB329W	POA
1500 mm	750 mm	AB357L	POA	AB357P	POA	AB357W	POA
	900 mm	AB359L	POA	AB359P	POA	AB359W	POA
1800 mm	610 mm	AB386L	POA	AB386P	POA	AB386W	POA
	750 mm	AB387L	POA	AB387P	POA	AB387W	POA
	900 mm	AB389L	POA	AB389P	POA	AB389W	POA

Top Options		28 mm Vinyl		25 mm Blockboard		28 mm Waverite	
Length	Width	Model	Price	Model	Price	Model	Price
1200 mm	750 mm	AB427L	POA	AB427P	POA	AB427W	POA
	900 mm	AB429L	POA	AB429P	POA	AB429W	POA
1500 mm	750 mm	AB457L	POA	AB457P	POA	AB457W	POA
	900 mm	AB459L	POA	AB459P	POA	AB459W	POA
1800 mm	610 mm	AB486L	POA	AB486P	POA	AB486W	POA
	750 mm	AB487L	POA	AB487P	POA	AB487W	POA
	900 mm	AB489L	POA	AB489P	POA	AB489W	POA



PR222M fitted with PRS22M, PRE22M & PRSE2M

- Available up to 1500mm deep to enable working from both sides
- Worktop height is adjustable in 25mm increments: 940mm Max
- Main benches are supplied fully assembled & extensions knock down
- Extension units are not available on their own
- 4colour options available for the drawers & cupboard



please specify when ordering



MODULAR WORKBENCHES & EXTENSION UNITS

Bench mm		Bench			Extension - only supplied with the main benches		
		Top Options			Top Options		
Length	Depth	28mm Vinyl	25mm MDF	25mm Plywood	28mm Vinyl	25mm MDF	25mm Plywood
1500	750	PR157L	PR157M	PR157P	PRE57L	PRE57M	PRE57P
	900	PR159L	PR159M	PR159P	PRE59L	PRE59M	PRE59P
2000	1250	PR222L	PR222M	PR222P	PRE22L	PRE22M	PRE22P
	1500	PR225L	PR225M	PR225P	PRE25L	PRE25M	PRE25P

OPTIONAL LOWER SHELVES TO SUIT BENCHES & EXTENSION UNITS - FACTORY FITTED

To Suit Bench mm		Shelf Size mm		Lower Shelf to suit Bench			Lower Shelf to suit Extension		
				Top Options			Top Options		
Length	Depth	Length	Depth	28mm Vinyl	25mm MDF	25mm Plywood	28mm Vinyl	25mm MDF	25mm Plywood
1500	750	1500	630	PRS57L	PRS57M	PRS57P	PRSE7L	PRSE7M	PRSE7P
	900		780	PRS59L	PRS59M	PRS59P	PRSE9L	PRSE9M	PRSE9P
2000	1250	2000	1130	PRS22L	PRS22M	PRS22P	PRSE2L	PRSE2M	PRSE2P
	1500		1380	PRS25L	PRS25M	PRS25P	PRSE5L	PRSE5M	PRSE5P

OPTIONAL EXTRAS - FACTORY FITTED

Description	To Suit	Model
Upper 2 Shelf	1500P	RPT215Z
Upper 2 Shelf	2000P	RPT220Z
Light Rail - requires support legs		PRPT97Z
Tool Rail - requires support legs		PRPT99Z
Support Legs - for use with aboveP		RPT06Z
Electrical Powerpoint		PRPT98Z
Single Drawer: 440W x 570D x 155H mm	LeftP	RPT10ZL
	RightP	RPT20ZR
Double Drawer: 440W x 570D x 300H mm	LeftP	RPT11ZL
	RightP	RPT21ZR
Three Drawer: 440W x 570D x 445H mm	LeftP	RPT12ZL
	RightP	RPT22ZR
Four Drawer: 440W x 570D x 590H mm	LeftP	RPT13ZL
	RightP	RPT23ZR
Lockable Cupboard: 440W x 570D x 590H mm	LeftP	RPT14ZL
	RightP	RPT24ZR



PR222M fitted with PRS22M, PRPT220Z, PRPT13ZL & PRPT21ZR

WORKSHOP EQUIPMENT CANTILEVER WORKBENCH

CANTILEVER BENCHES

- **Work at this bench without the restraints of cross-members**
Fully welded bench frames meet the requirements of the
- assembly & workshop/laboratory environments
- Fitted with adjustable feet to ensure a level work surface
- Worktop Height: 840mm

**MAX LOAD
300KG**



CL159W



CL159W & OPT104ZL



Two Cantilever Workbenches shown back-to-back with a range of optional extras

WORKTOP OPTIONS

- 28mm Vinyl faced Plywood with Wood edging
- 25mm exterior Plywood with Wood edging
- 28mm Plastic Chipboard faced with Waverite or similar Grey surface & edges
- Conductive Black Rubber Overlay Matting - available on request




**BESPOKE SIZES
AVAILABLE CALL
FOR DETAILS**

Top Options		28mm Vinyl	25mm Plywood	28mm Waverite
Length mm	Depth mm	Model	Model	Model
1500	750	CL157L	CL157P	CL157W
	900	CL159L	CL159P	CL159W
1800	750	CL187L	CL187P	CL187W
	900	CL189L	CL189P	CL189W




DRAWERS

- Factory fitted lockable drawers
- 4colour options available for the drawer fronts



CUPBOARD

- Factory fitted lockable cupboard
- 4colour options available for the cupboard fronts



No of Drawers	Overall Size W x D x H mm	Left Model	Right Model
1 Drawer	440 x 570 x 155	OPT100ZL	OPT200ZR
2 Drawer	440 x 570 x 300	OPT101ZL	OPT201ZR
3 Drawer	440 x 570 x 445	OPT102ZL	OPT202ZR
4 Drawer	440 x 570 x 590	OPT103ZL	OPT203ZR

Overall Size W x D x H mm	Left Model	Right Model
440 x 570 x 590	OPT104ZL	OPT204ZR



MAX LOAD
300KG

Heavy Duty Workbench shown with a range of optional extras

HEAVY DUTY BENCHES

- Fully welded bench frames meet the heavy demand of a busy workshop
- Fitted with Steel feet enabling the bench to be securely fastened to the floor
- Worktop Height: 860mm



HD157S



HD157S & OPT204ZR

WORKTOP OPTIONS

- 25mm Plywood with Wood edging
- 28mm Chipboard faced with Waverite surface & edging
- 2mm Steel - stove enamel Grey finish



BESPOKE SIZES AVAILABLE CALL FOR DETAILS

Top Options		28mm Vinyl	25mm Plywood	28mm Waverite
Length mm	Depth mm	Model	Model	Model
1500	750	AB157L	AB157P	AB157W
	900	AB159L	AB159P	AB159W
1800	750	AB187L	AB187P	AB187W
	900	AB189L	AB189P	AB189W



DRAWERS

- Factory fitted lockable drawers
- 4 colour options available for the drawer fronts




No of Drawers	Overall Size W x D x H mm	Left Model	Right Model
1 Drawer	440 x 570 x 155	OPT100ZL	OPT200ZR



CUPBOARD

- Factory fitted lockable cupboard
- 4 colour options available for the cupboard fronts



Overall Size W x D x H mm	Left Model	Right Model
440 x 570 x 590	OPT104ZL	OPT204ZR

UNIVERSAL TROLLEY

- A versatile trolley for PC, printer or monitoring equipment
- Frames are epoxy powder coated Light Grey RAL7035
- Vertical profiles are of Aluminium
- Worktops are of 25mm Laminated Particle Board
- Mobile on 100mm swivel castors, 2 with brakes

Product	Includes	Overall Size D x W x H mm	Model
Trolley3	Shelves	650 x 650 x 1415	WTR 140
Extra Shelf-		650 x 530	TS 605
Adjustable Shelf	Adjustment for Height & Angle	650 x 530	TAS 605
Drawer Unit2	x 100mm drawers	460 x 370 x 345	LMC 02
Pull-out Keyboard Tray	Mouse Mat	260 x 500 x 110	NT 500
Electrical Power Channel	4 x UK Sockets & 3 metre cable to plug	72 x 72 x 470	TJK-404



MOVEABLE BENCH

- Height adjustable from 690 to 990mm
- Integrated lower shelf
- Epoxy powder coated steel Light Grey RAL7035
- Mobile on 100mm swivel castors, 2 with brakes



Worktop Size D x W mm	Model
700 x 500	C TR 7

STEEL TROLLEY

- Single point locking
- Drawer handle with label holder
- Epoxy powder coated steel Dark Grey RAL7045
- Fluted Rubber mat
- Mobile on 100mm swivel castors, 2 with brakes
- Load 30kg per drawer



Overall Size D x W x H mm	Model
580 x 490 x 670	M L 04

INDUSTRIAL TROLLEY

- For use in production, repair or storage areas
- Frames are epoxy powder coated Dark Grey RAL7045
- Bottom shelf of Steel with fluted Rubber mat
- Mobile on 125mm swivel castors, 2 with brakes



Product	Includes	Overall Size D x W x H mm	Model
Trolley	-	625 x 777 x 1725	IT 170
	Shelves: 3 x ISS407 1 x ISS 607		IT 170 KIT
Steel Shelf	Adjustment for Height, Depth & Angle: 0 to 30° Front Retaining Lip Load Capacity: 40kg	400 x 680	ISS 407
		600 x 680	ISS 607
Bin Rail	Double Profile	685 Length	BP 70
Perforated Panel	9mm Perforations at 38mm Centres	686 x 750	HPP 73
Cupboard Unit	Of Perforated Steel with lock, shelf & connectors	310 x 687 x 700	HCU 73